

Proizvod / Product: HYDROSOL Express 1K

IZJAVA O USKLAĐENOSTI
DECLARATION OF PERFORMANCE
Br. / No. 001/17-HDI

1. **Jedinstvena identifikacijska oznaka tipa proizvoda / Unique identification code of product**
08.02.04

2. **Predviđena primjena / Intended use**

Predpripremljena vodootporna masa za dekorativnu obradu unutrašnjih horizontalnih i vertikalnih površina / Pre-prepared waterproof compound for decorative treatment of interior horizontal and vertical surfaces

3. **Proizvođač / Manufacturer**

JUB d.o.o.
Dol pri Ljubljani 28
SI-1262 Dol pri Ljubljani
Slovenia
www.jub.eu

4. **Sistemi ocjenjivanja i provjere nepromjenjivosti osobina / System of AVCP**

Sistem 3 / System 3

5. **Tehnička specifikacija / Technical specification**

EN 14891:2012 / AC 2013
BAS EN 14891:2018

6. **Certifikacijsko tijelo / Notified Body**

ZAG Ljubljana 1404



7. Deklarisana svojstva / Declared performance

Bitne karakteristike / Characteristic	Osobina / Declaration	Standard / Norm	Tehnička specifikacija/ Technical specification
Početna zatezna adhezijska čvrstoća / Initial tensile adhesion strength	$\geq 0,5 \text{ N/mm}^2$	EN 14891:2017, A.6.2	EN 14891
Zatezna adhezijska čvrstoća nakon tretmana na +70°C / Tensile adhesion strength after treatment at +70°C	$\geq 0,5 \text{ N/mm}^2$	EN 14891:2017, A.6.5	EN 14891
Zatezna adhezijska čvrstoća nakon tretmana u vodi / Tensile adhesion strength after water immersion	$\geq 0,5 \text{ N/mm}^2$	EN 14891:2017, A.6.3	EN 14891
Zatezna adhezijska čvrstoća nakon tretmana u krečnoj vodi / Tensile adhesion strength after contact with lime water	$\geq 0,5 \text{ N/mm}^2$	EN 14891:2017, A.6.9	EN 14891
Zatezna adhezijska čvrstoća nakon tretmana u hlorisanoj vodi / Tensile adhesion strength after immersion in chlorinated water	$\geq 0,5 \text{ N/mm}^2$	EN 14891:2017, A.6.7	EN 14891
Premoštavanje pukotina pod standardnim uslovima / Crack bridging ability under standard conditions	$\geq 0,75 \text{ N/mm}^2$	EN 14891:2017, A.8.2	EN 14891

Karakteristike gore navedenog proizvoda su u skladu sa deklariranim osobinama. Za izdavanje ove izjave o usklađenosti, u skladu sa Uredbom (EU) br. 305/2011, odgovoran je isključivo gore navedeni proizvođač /

The performance of the product identified above is in conformity with the set of declared performances. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.



Potpisao za i u ime proizvođača / Signed for and on behalf of the manufacturer by:

Dol pri Ljubljani, 17.02.2017

Danijel Lisičić,
Vođa razvoja / *R&D manager*

