

Proizvod / Product: AKRINOL BASIC

IZJAVA O USKLAĐENOSTI
DECLARATION OF PERFORMANCE
Št. / No. 001/19-ALB

1. **Jedinstvena identifikacijska oznaka tipa proizvoda / Unique identification code of product**
13.01.21

2. **Predviđena primjena / Intended use**

Standardno cementno ljepilo sa smanjenim klizanjem za unutrašnju upotrebu (C1T) /
Normal cementitious adhesive with reduced slip for internal use (C1T)

3. **Proizvođač / Manufacturer**

JUB d.o.o.

Dol pri Ljubljani 28

SI-1262 Dol pri Ljubljani

Slovenia www.jub.eu

Proizvodni pogon / Manufacturing plant

Bosna i Hercegovina

4. **Sistemi ocenjivanja i provjere nepromjenjivosti osobina / System of AVCP**

Sistem 3 / System 3

5. **Tehnička specifikacija / Technical Specification**

EN 12004-1:2017

BAS EN 12004-1:2018



6. Navedene osobine / Declared performance

Bitne karakteristike / Characteristic	Osobina / Declaration	Standard / Norm	Tehnička specifikacija / Technical specification
Odgovor na vatru / Reaction to fire	Razred / Class A1	EN 13501-1	EN 12004-1:2017
Početna zatezna čvrstoća prianjanja / Initial tensile adhesion strength	$\geq 0,5 \text{ N/mm}^2$	EN 12004 1:2017, 8.3	EN 12004-1:2017

Zatezna čvrstoća prianjanja nakon stvrdnjavanja u vodi / Tensile adhesion strength after water immersion	$\geq 0,5 \text{ N/mm}^2$	EN 12004 1:2017, 8.3	EN 12004-1:2017
Klizanje / Slip	$\leq 0,5 \text{ mm}$	EN 12004 1:2017, 8.2	EN 12004-1:2017
Oslobađanje opasnih materija / Release of dangerous substances	Pogledajte sigurnosni list / See Safety data sheet		EN 12004-1:2017

Osobine gore navedenog proizvoda su u skladu sa navedenim osobinama. Za izdavanje ove izjave o usklađenosti, u skladu sa Uredbom (EU) br. 305/2011, odgovoran je isključivo gore navedeni proizvođač.

The performance of the product identified above is in conformity with the set of declared performances. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Potpisao za i u ime proizvođača / Signed for and on behalf of the manufacturer by:

Dol pri Ljubljani, 10.09.2024

Danijel Lisičić,
Direktor razvoja/ R&D manager



JUB d.o.o. Dol pri Ljubljani 28 1262 Dol pri Ljubljani SLOVENIA 19 Jedinstveni identifikacioni kod : 13.01.21 Izjava o usklađenosti br .: 001/19-ALB	
SIST EN 12004-1:2017 Standardno cementno ljepilo sa smanjenim klizanjem za unutrašnju upotrebu (C1T)	
Klasa reakcije na požar početna zatezna čvrstoća prijanjanja Zatezna čvrstoća prijanjanja nakon potapanja u vodu	A1 ≥ 0,5 N/mm² ≥ 0,5 N/mm²
Klizanje Otvoreno vrijeme poslije 20 min	≤ 0,5 mm ≥ 0,5 N/mm²