

Proizvod / Product: HYDROSOL TESNILNI TRAK 120

IZJAVA O USKLAĐENOSTI
DECLARATION OF PERFORMANCE
Br. / No. 001/23 - HTT

1. **Jedinstvena identifikacijska oznaka tipa proizvoda / Unique identification code of product**
15.04.27

2. **Predviđena primjena / Intended use**

Trajnoelastična zaptivna traka od gume / Permanently elastic rubber sealing tape

3. **Proizvođač / Manufacturer**

JUB d.o.o.

Dol pri Ljubljani 28

SI-1262 Dol pri Ljubljani

Slovenia

www.jub.eu

4. **Sistemi ocenjivanja i provjere nepromjenjivosti osobina / System of AVCP**

Sistem 4 / System 4



5. Deklarisana svojstva / Declared performance

Bitne karakteristike / Characteristic	Osobina / Declaration	Standard / Norm	Tehnička specifikacija/ Technical specification
Maksimalna zatezna sila u normalnim uslovima - uzdužno / <i>Maximum tensile force in normal condition - Lenghtwise</i>	47 N/15mm	EN ISO 527	
Maksimalna zatezna sila u normalnim uslovima - poprečno / <i>Maximum tensile force after treatment in alkaline conditions - Lenghtwise</i>	35,4 N/15mm	EN ISO 527 EN 1847	
Maksimalna zatezna sila nakon tretmana u alkalnim uslovima – poprečno / <i>Maximum tensile force after treatment in alkaline conditions - across</i>	29,9 N/15mm	EN ISO 527 EN 1847	
Relativna promjena istezanja pri maksimalnoj zateznoj sili nakon tretmana u alkalnim uslovima – uzdužno / <i>Relative change in expansion at maximal tensile force after treatment in alkaline conditions - Lenghtwise</i>	≤ 20%	EN ISO 527 EN 1847	
Relativna promjena istezanja pri maksimalnoj zateznoj sili nakon tretmana u alkalnim uslovima – poprečno / <i>Relative chansion at maximal tensile force after treatment in alkaline conditions - across</i>	≤ 20%	EN ISO 527 EN 1847	



**Karakteristike gore navedenog proizvoda su u skladu sa deklarisanim osobinama.
Za izdavanje ove izjave o usklađenosti, u skladu sa Uredbom (EU) br. 305/2011,
odgovoran je isključivo gore navedeni proizvođač /**

*The performance of the product identified above is in conformity with the set of
declared performances. This declaration of performance is issued, in accordance
with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer
identified above.*

Potpisao za i u ime proizvođača / Signed for and on behalf of the manufacturer by:

Dol pri Ljubljani, 04.04.2023

Danijel Lisičić,
Direktor razvoja / R&D manager

