

F: +386 1 5884 227 E: laura.ucakar@jub.eu Page 1/13

Safety data sheet according to UK REACH

Revision: 10.04.2025 Version number 3 Date of the first version: 12.09.2019 SECTION 1: Identification of the substance/mixture and of the company/undertaking · 1.1 Product identifier · Trade name: DIPI Koncentrat • Article number: 2.000.069 DCK 5, DCK 15, DCK 20, DCK 25, DCK 35, DCK 45, DCK 55, DCK 85, DCK 90, DCK 95 · 1.2 Relevant identified uses of the substance or mixture and uses advised against · Life cycle stages PW Widespread use by professional workers C Consumer use · Sector of Use SU21 Consumer uses: Private households / general public / consumers SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen) SU19 Building and construction work · Product category PC0 Other · Process category PROC19 Manual activities involving hand contact • Environmental release category ERC10a Widespread use of articles with low release (outdoor) · Application of the substance / the mixture Stainer · 1.3 Details of the supplier of the safety data sheet · Manufacturer/Supplier: JUB d.o.o. Dol pri Ljubljani 28 1262 DOL PRI LJUBLJANI **SLOVENIA** T: + 386 1 5884 183 F: + 386 1 5884 250 E: info@jub.si · Further information obtainable from: Laura Učakar T: +386 1 5884 185

(Contd. on page 2)

GB ·

Revision: 10.04.2025

Version number 3

Date of the first version: 12.09.2019

Trade name: DIPI Koncentrat

(Contd. of page 1)

• 1.4 Emergency telephone number:

UK Emergency number: 999

Emergency Action: In the event of a medical enquiry involving this product, please contact your doctor or local hospital accident and emergency department.

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008
- Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

· 2.2 Label elements

- · Labelling according to Regulation (EC) No 1272/2008
- The product is classified and labelled according to the GB CLP regulation.
- · Hazard pictograms Void
- · Signal word Void

· Hazard statements

- H412 Harmful to aquatic life with long lasting effects.
- · Precautionary statements
- P101 If medical advice is needed, have product container or label at hand.
- P102 Keep out of reach of children.
- P103 Read carefully and follow all instructions.
- P273 Avoid release to the environment.
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
- · Additional information:
- EUH208 Contains 1,2-benzisothiazol-3(2H)-one, 3-Iodo-2-propynylbutylcarbamate, reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-4-isothiazolin-3-one [EC no. 220-239-6] (3:1). May produce an allergic reaction.
- · 2.3 Other hazards
- · Results of PBT and vPvB assessment Not applicable.
- **PBT:** Not applicable.
- vPvB: Not applicable.
- · Determination of endocrine-disrupting properties Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

*

• Description: Mixture of substances listed below with nonhazardous additions.

(Contd. on page 3)

*

Revision: 10.04.2025

Version number 3

Date of the first version: 12.09.2019

Trade name: DIPI Koncentrat

Dangerous compone	nts:	(Contd. of page
CAS: 55406-53-6	3-Iodo-2-propynylbutylcarbamate	≤0.1%
	Acute Tox. 3, H331 STOT RE 1, H372	_ 0.1 /0
	Eye Dam. 1, H318	
	Aquatic Acute 1, H400 (M=10); Aquatic Chronic 1, H410 (M=1)	
	Acute Tox. 4, H302; Skin Sens. 1, H317	
CAS: 3811-73-2	pyridine-2-thiol 1-oxide, sodium salt	≤0.05%
EINECS: 223-296-5	Acute Tox. 3, H331 STOT RE 1, H372	
	Aquatic Acute 1, H400 (M=100); Aquatic Chronic 1, H410 (M=1)	
	Acute Tox. 4, H302; Acute Tox. 4, H312; Skin Irrit. 2,	
	H315; Eye Irrit. 2, H319; Skin Sens. 1, H317	
	ATE: LD50 oral: 500 mg/kg	
	LD50 dermal: 790 mg/kg	
	LC50/4 h inhalative: 0.5 mg/l	
CAS: 2634-33-5	1,2-benzisothiazol-3(2H)-one	≤ 0.01%
EINECS: 220-120-9	😣 Acute Tox. 1, H330	
	Eye Dam. 1, H318	
	Aquatic Acute 1, H400	
	Acute Tox. 4, H302; Skin Irrit. 2, H315; Skin Sens. 1, H317	
	ATE: LD50 oral: 450 mg/kg	
	LC50/4 h inhalative: 0.21 mg/l	
	Specific concentration limit: Skin Sens. 1A; H317: C ≥ 0.036 %	
	reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no.	≤0.00015
	247-500-7] and 2-methyl-4-isothiazolin-3-one [EC no. 220-239-6] (3:1)	
	Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 3, H331	
	A Skin Corr. 1B, H314; Eye Dam. 1, H318	
	Aquatic Acute 1, H400 (M=100); Aquatic Chronic 1, H410	
	(M=100)	
	Skin Sens. 1A, H317	
	Specific concentration limits: Skin Corr. 1C; H314: $C \ge 0.6 \%$	
	Skin Irrit. 2; H315: 0.06 % ≤ C <	
	0.6 %	
	Eye Dam. 1; H318: $C \ge 0.6 \%$	
	Eye Irrit. 2; H319: $0.06 \% \le C <$	
	0.6 %	
	Skin Sens. 1A; H317: $C \ge 0.0015$	
	%	
	/0	(Contd. on pa

Revision: 10.04.2025

Version number 3

Date of the first version: 12.09.2019

Trade name: DIPI Koncentrat

(Contd. of page 3)

· Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

· 4.1 Description of first aid measures

- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing:

Do not induce vomiting; call for medical help immediately.

If symptoms persist consult doctor.

Rinse out mouth and then drink plenty of water.

- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

SECTION 5: Firefighting measures

- **5.2 Special hazards arising from the substance or mixture** No further relevant information available.
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.
- · Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Wear protective clothing.
- · 6.2 Environmental precautions:

In case of gas release or seepage into the ground inform responsible authorities. In case of seepage into the ground inform responsible authorities. Dilute with plenty of water. Do not allow to enter sewers/ surface or ground water.

 \cdot 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13.

(Contd. on page 5)

Revision: 10.04.2025

Version number 3

Date of the first version: 12.09.2019

Trade name: DIPI Koncentrat

(Contd. of page 4)

· 6.4 Reference to other sections

See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

SECTION 7: Handling and storage

- 7.1 Precautions for safe handling No special precautions are necessary if used correctly.
- Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- Requirements to be met by storerooms and receptacles: Store only in the original receptacle.
- **Information about storage in one common storage facility:** Do not store together with oxidising and acidic materials.
- Further information about storage conditions: Protect from frost.
- Storage class: 10
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- **Ingredients with limit values that require monitoring at the workplace:** The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- Appropriate engineering controls No further data; see section 7.
- \cdot Individual protection measures, such as personal protective equipment
- General protective and hygienic measures: Wash hands before breaks and at the end of work. Do not eat or drink while working.
- **Respiratory protection:** Suitable respiratory protective device recommended.
- · Hand protection

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

(Contd. on page 6)

⁻ GB -

Revision: 10.04.2025

Version number 3

Trade name: DIPI Koncentrat

(Contd. of page 5)

Protective gloves that meet the criteria of BS EN 374.

Check protective gloves prior to each use for their proper condition.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

After use of gloves apply skin-cleaning agents and skin cosmetics.

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye/face protection

Safety glasses Goggles recommended during refilling Protective goggles must comply with standard BS EN 166.

• Body protection: Use protective suit.

SECTION 9: Physical and chemic		
9.1 Information on basic physical and	chemical properties	
General Information		
Physical state	Fluid	
Colour:	According to product specification	
Odour:	Mild	
Odour threshold:	Not determined.	
Melting point/freezing point:	Undetermined.	
Boiling point or initial boiling point an	nd boiling	
range	≥100 °C (CAS: 7732-18-5 water, distilled	
	conductivity or of similar purity)	
Flammability	Not applicable.	
Lower and upper explosion limit		
Lower:	Not determined.	
Upper:	Not determined.	
Flash point:	>100 °C (CAS: 57-55-6 Propylene glycol)	
Decomposition temperature:	Not determined.	
pH	Not determined.	
Viscosity:		
Kinematic viscosity	Not determined.	
Dynamic at 20 °C:	1,000-4,000 mPas	

Revision: 10.04.2025

Version number 3

Date of the first version: 12.09.2019

Trade name: DIPI Koncentrat

	(Contd. of page
· Solubility	
water:	Fully miscible.
· Vapour pressure:	Not determined.
Density and/or relative density	
Density at 20 °C:	1.007-1.113 g/cm ³
Relative density	Not determined.
Vapour density	Not determined.
9.2 Other information	
Appearance:	
Form:	Fluid
Important information on protection of he	ealth
and environment, and on safety.	
Ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Solvent content:	
Organic solvents:	>0.0 %
Water:	74.4 %
Information with regard to physical has	zard
classes	
Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit	
flammable gases in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void
Desensitised explosives	Void

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

(Contd. on page 8)

⁻ GB -

Revision: 10.04.2025

Version number 3

Date of the first version: 12.09.2019

Trade name: DIPI Koncentrat

(Contd. of page 7)

- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.

•	LD/LC50	values re	elevant for	classificati	ion:

ATE (Acute Toxicity Estimates)

Inhalative	LC50/4 h	670 mg/l (rat)
CAS: 554	06-53-6 3-2	Iodo-2-propynylbutylcarbamate
Oral	LD50	1,470 mg/kg (rat)
Dermal	LD50	>2,000 mg/kg (rat)
Inhalative	LC50/4 h	0.67 mg/l (rat)
CAS: 381	1-73-2 pyr	idine-2-thiol 1-oxide, sodium salt
Oral	LD50	500 mg/kg (ATE)
		750 mg/kg (rat)
Dermal	LD50	790 mg/kg (ATE)
		700 mg/kg (rabbit)
Inhalative	LD50	1,080 mg/kg (rabbit)
	LC50/4 h	0.5 mg/l (ATE)
CAS: 263	4-33-5 1,2-	-benzisothiazol-3(2H)-one
Oral	LD50	450 mg/kg (ATE)
Inhalative	LC50/4 h	0.21 mg/l (ATE)
reaction n	nass of: 5-c	chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-4-
isothiazoli	n-3-one [E	C no. 220-239-6] (3:1)
Oral	LD50	49.6-75 mg/kg (rat)
Dermal	LD50	141 mg/kg (rabbit)
Inhalative	LC50/4 h	0.33 mg/l (rat)

• Skin corrosion/irritation Based on available data, the classification criteria are not met.

Revision: 10.04.2025

Version number 3

Date of the first version: 12.09.2019

Trade name: DIPI Koncentrat

(Contd. of page 8)

• Serious eye damage/irritation Based on available data, the classification criteria are not met.

• Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

• Germ cell mutagenicity Based on available data, the classification criteria are not met.

• Carcinogenicity Based on available data, the classification criteria are not met.

- \cdot Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.

• STOT-repeated exposure Based on available data, the classification criteria are not met.

• Aspiration hazard Based on available data, the classification criteria are not met.

• 11.2 Information on other hazards

• Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic	toxicity:
-----------	-----------

CAS: 55406-53-6 3-Iodo-2-propynylbutylcarbamate		
LC50/ 96 h	0.067 mg/l (/)	
EC50	0.022 mg/kg (/)	
EC50/ 48 h	0.16 mg/l (daphnia)	
CAS: 3811-7	'3-2 pyridine-2-thiol 1-oxide, sodium salt	
LC50/ 96 h	0.00264 mg/l (/)	
EC50/ 120 h	0.0012 mg/l (/)	

• 12.2 Persistence and degradability No further relevant information available.

• 12.3 Bioaccumulative potential No further relevant information available.

• 12.4 Mobility in soil No further relevant information available.

· 12.5 Results of PBT and vPvB assessment

• **PBT:** Not applicable.

· vPvB: Not applicable.

• 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

· 12.7 Other adverse effects

· Additional ecological information:

· General notes:

Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water

(Contd. on page 10)

Date of the first version: 12.09.2019

Trade name: DIPI Koncentrat

(Contd. of page 9)

Do not allow product to reach ground water, water course or sewage system, even in small quantities. Danger to drinking water if even extremely small quantities leak into the ground.

Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Hand over to hazardous waste disposers.

· European waste catalogue

08 01 12 waste paint and varnish other than those mentioned in 08 01 11

15 01 02 plastic packaging

• Recommendation: Dispose of packaging according to regulations on the disposal of packagings.

• Recommended cleansing agents: Water, if necessary together with cleansing agents.

14.1 UN number or ID number ADR, IMDG, IATA	Void	
14.2 UN proper shipping name ADR, IMDG, IATA	Void	
14.3 Transport hazard class(es)		
ADR, ADN, IMDG, IATA		
Class	Void	
14.4 Packing group		
ADR, IMDG, IATA	Void	
14.5 Environmental hazards:	Not applicable.	
14.6 Special precautions for user	Not applicable.	
14.7 Maritime transport in bulk accord	ling to	
IMO instruments	Not applicable.	

Version number 3

(Contd. of page 10)

Safety data sheet according to UK REACH

Version number 3

Date of the first version: 12.09.2019

Trade name: DIPI Koncentrat

Revision: 10.04.2025

· UN "Model Regulation":

SECTION 15: Regulatory information

• 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Void

Following regulation was considered in the preparation of document:

Legislation on the occupational health and safety, the chemical legislation and regulations on biocidal products, regulations on classification, packaging and labeling of chemical and biocidal products and requirements on safety data sheets for chemicals and biocidal products composition, as well as regulations on the management of packaging and packaging waste and waste.

· Poisons Act

· Regulated explosives precursors

None of the ingredients is listed.

· Regulated poisons

None of the ingredients is listed.

· Reportable explosives precursors

None of the ingredients is listed.

· Reportable poisons

CAS: 1310-73-2 sodium hydroxide

12% of total caustic alkalinity

• Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the GB CLP regulation.

- · Hazard pictograms Void
- · Signal word Void

· Hazard statements

H412 Harmful to aquatic life with long lasting effects.

· Precautionary statements

- P101 If medical advice is needed, have product container or label at hand.
- P102 Keep out of reach of children.
- P103 Read carefully and follow all instructions.
- P273 Avoid release to the environment.
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
- · Directive 2004/42/EC
- · Directive 2012/18/EU
- \cdot Named dangerous substances ANNEX I None of the ingredients is listed.

(Contd. on page 12)

GB

Revision: 10.04.2025

Version number 3

Trade name: DIPI Koncentrat

(Contd. of page 11)

• DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

· REGULATION (EU) 2019/1148

· Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

· Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

· Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. This Safety Data Sheets is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

Relevant phrases

*

H301 Toxic if swallowed.

- H302 Harmful if swallowed.
- H311 Toxic in contact with skin.
- H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H330 Fatal if inhaled.
- H331 Toxic if inhaled.

H372 Causes damage to organs through prolonged or repeated exposure.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

Recommended restriction of use

Claims contained in this document are based on our actual knowledge at the time of revision of this document. They do not undertake the properties of the product described in terms of the legal provisions for the pledge.

Placing this document as available does not unbind the product customer from its responsibility to

(Contd. on page 13)

GB

Revision: 10.04.2025

Version number 3

Date of the first version: 12.09.2019

Trade name: DIPI Koncentrat

(Contd. of page 12)

comply with all relevant laws and regulations applicable for this product. This is especially valid in the case of product resale or resale of its mixtures or manufactured products from other areas of law and industrial property rights of third parties. If the product described above is changed by crafting or mixing with other materials, it is not possible to transfer claims from this document onto a newly made product, unless otherwise specified. In the case of product re-packaging the customer must attach the required relevant safety information as well.

· Department issuing SDS:

JUB d.o.o. Product safety department

• **Contact:** Laura Učakar laura.ucakar@jub.eu

· Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative ATE: Acute toxicity estimate values Acute Tox. 4: Acute toxicity - Category 4 Acute Tox. 1: Acute toxicity - Category 1 Acute Tox. 3: Acute toxicity - Category 3 Skin Corr. 1B: Skin corrosion/irritation - Category 1B Skin Irrit. 2: Skin corrosion/irritation - Category 2 Eye Dam. 1: Serious eye damage/eye irritation - Category 1 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 Skin Sens. 1: Skin sensitisation - Category 1 Skin Sens. 1A: Skin sensitisation - Category 1A STOT RE 1: Specific target organ toxicity (repeated exposure) - Category 1 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3

• * Data compared to the previous version altered.