

Page 1/14

# Safety data sheet according to UK REACH

Revision: 25.09.2025 Version number 2 Date of the first version: 12.02.2025

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: TAKRIL Strong

· Article number: 2.003.331

· 1.2 Relevant identified uses of the substance or mixture and uses advised against

· Life cycle stages

PW Widespread use by professional workers

C Consumer use

· Sector of Use

SU21 Consumer uses: Private households / general public / consumers

SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

SU19 Building and construction work

- · Product category PC9a Coatings and paints, thinners, paint removers
- · Process category PROC10 Roller application or brushing
- Environmental release category ERC10a Widespread use of articles with low release (outdoor)
- · Application of the substance / the mixture Concrete paint/ concrete coating
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

JUB d.o.o.

Dol pri Ljubljani 28

1262 DOL PRI LJUBLJANI

**SLOVENIA** 

T: + 386 1 5884 183

F: + 386 1 5884 250

E: info@jub.si

### · Further information obtainable from:

Laura Učakar

T: +386 1 5884 185

F: +386 1 5884 227

E: laura.ucakar@jub.eu

### · 1.4 Emergency telephone number:

UK Emergency number: 999

Emergency Action: In the event of a medical enquiry involving this product, please contact your doctor or local hospital accident and emergency department.

Revision: 25.09.2025 Version number 2 Date of the first version: 12.02.2025

Trade name: TAKRIL Strong

(Contd. of page 1)

## **SECTION 2: Hazards identification**

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

- · Hazard pictograms Void
- · Signal word Void
- · Hazard-determining components of labelling:

2-octyl-2H-isothiazol-3-one

· Hazard statements

H412 Harmful to aquatic life with long lasting effects.

- · Precautionary statements
- P101 If medical advice is needed, have product container or label at hand.
- P102 Keep out of reach of children.
- P103 Read carefully and follow all instructions.
- P273 Avoid release to the environment.
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
- · Additional information:
- EUH208 Contains 1,2-benzisothiazol-3(2H)-one, 2-octyl-2H-isothiazol-3-one. May produce an allergic reaction.
- EUH211 Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.
- · 2.3 Other hazards
- · Results of PBT and vPvB assessment Not applicable.
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Determination of endocrine-disrupting properties Not applicable.

## **SECTION 3: Composition/information on ingredients**

- · 3.2 Mixtures
- · **Description:** Mixture of substances listed below with nonhazardous additions.

· Dangerous components:		
CAS: 13463-67-7	titanium dioxide	10-25%
EINECS: 236-675-5	<b>&amp;</b> Carc. 2, H351	
Reg.nr.: 01-2119489379-17	EUH210, EUH211	
	Note: V, W, 10	
		(Contd. on page 3)

Revision: 25.09.2025 Version number 2 Date of the first version: 12.02.2025

Trade name: TAKRIL Strong

		(Contd. of page 2
CAS: 2634-33-5	1,2-benzisothiazol-3(2H)-one	≤0.036%
EINECS: 220-120-9	Acute Tox. 1, H330	
	Eye Dam. 1, H318	
	Aquatic Acute 1, H400	
	Acute Tox. 4, H302; Skin Irrit. 2, H315; Skin	
	Sens. 1, H317	
	ATE: LD50 oral: 450 mg/kg	
	LC50/4 h inhalative: 0.21 mg/l	
	Specific concentration limit:	
	Skin Sens. 1A; H317: C≥ 0.036 %	
CAS: 13463-41-7	pyrithione zinc	≤0.2(0.01)%
EINECS: 236-671-3	Acute Tox. 3, H301; Acute Tox. 3, H331	
	& Repr. 1B, H360D; STOT RE 1, H372	
	Eye Dam. 1, H318	
	Aquatic Acute 1, H400 (M=1000); Aquatic	
	Chronic 1, H410 (M=10)	
	ATE: LD50 oral: 221 mg/kg	
	LC50/4 h inhalative: 0.14 mg/l	
CAS: 886-50-0	terbutryn	≤0.1(0.01)%
EINECS: 212-950-5	Aquatic Acute 1, H400 (M=100); Aquatic Chronic 1, H410 (M=100)	
	• Acute Tox. 4, H302; Skin Sens. 1, H317	
CAS: 26530-20-1	2-octyl-2H-isothiazol-3-one	≤0.05(0.005)%
EINECS: 247-761-7	Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 2, H330	
	Skin Corr. 1, H314; Eye Dam. 1, H318	
	Aquatic Acute 1, H400 (M=100); Aquatic	
	Chronic 1, H410 (M=100)	
	Skin Sens. 1A, H317	
	EUH071	
	ATE: LD50 oral: 125 mg/kg	
	LD50 dermal: 311 mg/kg	
	LC50/4 h inhalative: 0.27 mg/l	
	Specific concentration limit:	
	Skin Sens. 1A; H317: C≥ 0.0015 %	
CAS: 57-55-6	Propylene glycol	1-5%
EINECS: 200-338-0	substance with a Community workplace exposure	
Reg.nr.: 01-2119456809-23	limit	

## · Additional information:

The product is liquid and therefore not classified as H351 in accordance with Regulation (EU) 2020/217, although it contains more than 1% titanium dioxide.

Classification and labelling of the product is prepared in accordance with the instructions of the supplier of biocidal active ingredients or biocide products.

The technology of protection active ingredients (AMME - Advanced Micro Matrix Embedding) allows changing of the classification of chemicals and this resulting in different labelling of products

(Contd. on page 4)

Revision: 25.09.2025 Version number 2 Date of the first version: 12.02.2025

Trade name: TAKRIL Strong

(Contd. of page 3)

containing processed substances.

The total content and the content of free 2-octyl-2H-isothiazol-3-one (OIT) are indicated. Only the content of free OIT is toxicological relevant and is subject to the classification of this mixture regarding the following properties: environmental hazardous properties, skin and eye irritation, sensitisation.

The total content and the content of free zinc pyrithione (ZnPy) are indicated. Only the content of free ZnPy is toxicological relevant and is subject to the classification of this mixture regarding the following properties: environmental hazardous properties, skin and eye irritation. The total content and the content of free terbutryn are indicated. Only the content of free terbutryn is toxicological relevant and is subject to the classification of this mixture regarding the following properties: environmental hazardous properties, sensitisation.

Non-skin sensitising on the basis of the results of similar tested mixtures, applying bridging principles in accordance with GB CLP Regulation Article 9(4), see section 16.

For the wording of the listed hazard phrases refer to section 16.

### **SECTION 4: First aid measures**

- · 4.1 Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing:

If symptoms persist consult doctor.

Rinse out mouth and then drink plenty of water.

· 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

## **SECTION 5: Firefighting measures**

· 5.2 Special hazards arising from the substance or mixture

No further relevant information available.

- · Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.
- · Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

GB

Revision: 25.09.2025 Version number 2 Date of the first version: 12.02.2025

Trade name: TAKRIL Strong

(Contd. of page 4)

## **SECTION 6: Accidental release measures**

· 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective clothing.

• 6.2 Environmental precautions:

In case of seepage into the ground inform responsible authorities.

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## **SECTION 7: Handling and storage**

- 7.1 Precautions for safe handling No special precautions are necessary if used correctly.
- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- Requirements to be met by storerooms and receptacles: Store only in the original receptacle.
- · Information about storage in one common storage facility:

Do not store together with oxidising and acidic materials.

- · Further information about storage conditions: Protect from frost.
- · Storage class: 12
- · 7.3 Specific end use(s) No further relevant information available.

## **SECTION 8: Exposure controls/personal protection**

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

CAS: 57-55-6 Propylene glycol

WEL Long-term value: 474\* 10\*\* mg/m³, 150\* ppm \*total vapour and particulates \*\*particulates

· Additional information: The lists valid during the making were used as basis.

(Contd. on page 6)

Revision: 25.09.2025 Version number 2 Date of the first version: 12.02.2025

Trade name: TAKRIL Strong

(Contd. of page 5)

#### · 8.2 Exposure controls

- · **Appropriate engineering controls** No further data; see section 7.
- · Individual protection measures, such as personal protective equipment

### · General protective and hygienic measures:

Wash hands before breaks and at the end of work.

Do not eat or drink while working.

### · Respiratory protection:

Use suitable respiratory protective device only when aerosol or mist is formed.

Protective mask should be in accordance with BS EN 14387.

#### · Hand protection

Protective gloves that meet the criteria of BS EN 374.

Check protective gloves prior to each use for their proper condition.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

After use of gloves apply skin-cleaning agents and skin cosmetics.

## · Eye/face protection

Goggles recommended during refilling

Protective goggles must comply with standard BS EN 166.

· **Body protection:** Protective work clothing

## **SECTION 9: Physical and chemical properties**

· 9.1 Information on basic physical and chemical properties

· General Information

· Physical state Fluid

· Colour: According to product specification

Odour: Characteristic
 Odour threshold: Not determined.
 Melting point/freezing point: Undetermined.

· Boiling point or initial boiling point and boiling

range ≥100 °C (CAS: 7732-18-5 water, distilled,

conductivity or of similar purity)

· Flammability Not determined.

· Lower and upper explosion limit

Lower: Not determined.
Upper: Not determined.
Flash point: Not applicable.
Decomposition temperature: Not determined.
pH Not determined.

(Contd. on page 7)

Revision: 25.09.2025 Version number 2 Date of the first version: 12.02.2025

Trade name: TAKRIL Strong

(Contd. of page 6)

· Viscosity:

· Kinematic viscosity Not determined. · Dynamic: Not determined.

· Solubility

· water: Fully miscible. Not determined. · Vapour pressure:

· Density and/or relative density

· Density: Not determined. · Relative density Not determined. · Vapour density Not determined.

· 9.2 Other information

· Appearance:

· Form: Fluid

· Important information on protection of health

and environment, and on safety.

· Ignition temperature: Product is not selfigniting.

· Explosive properties: Product does not present an explosion hazard.

Void

Void

· Solvent content: < 83.0 g/l· Organic solvents: >1.8 % · Water: 9.7 % · VOC (EC) 6.80 %

· Information with regard to physical hazard

classes · Explosives

· Desensitised explosives

· Flammable gases Void · Aerosols Void · Oxidising gases Void · Gases under pressure Void · Flammable liquids Void · Flammable solids Void · Self-reactive substances and mixtures Void · Pyrophoric liquids Void · Pyrophoric solids Void · Self-heating substances and mixtures Void · Substances and mixtures, which emit flammable gases in contact with water Void · Oxidising liquids Void · Oxidising solids Void · Organic peroxides Void · Corrosive to metals Void

Revision: 25.09.2025 Version number 2 Date of the first version: 12.02.2025

Trade name: TAKRIL Strong

(Contd. of page 7)

## **SECTION 10: Stability and reactivity**

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

## **SECTION 11: Toxicological information**

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50	values rele	evant for classification:
CAS: 134	63-67-7 tit	anium dioxide
Oral	LD50	mg/kg (rat)
Dermal	LD50	mg/kg (rabbit)
Inhalative	LC50/4 h	mg/l (rat)
CAS: 263	4-33-5 1,2-	-benzisothiazol-3(2H)-one
Oral	LD50	450 mg/kg (ATE)
Inhalative	LC50/4 h	0.21 mg/l (ATE)
CAS: 134	63-41-7 py	rithione zinc
Oral	LD50	221 mg/kg (ATE)
		269 mg/kg (rat)
Dermal	LD50	>2,000 mg/kg (rat)
		>2,000 mg/kg (rabbit)
Inhalative	LC50/4 h	0.14 mg/l (ATE)
		>2,000 mg/l (rabbit)
CAS: 886	-50-0 terbu	ıtryn
Oral	LD50	2,000 mg/kg (rat)
Dermal	LD50	>2,000 mg/kg (rat)
Inhalative	LC50/4 h	>2,200 mg/l (rat)
CAS: 265	30-20-1 2-0	octyl-2H-isothiazol-3-one
Oral	LD50	125 mg/kg (ATE)
		(Contd. on pa

(Contd. on page 9)

Revision: 25.09.2025 Version number 2 Date of the first version: 12.02.2025

Trade name: TAKRIL Strong

			(Contd. of page 8)
Dermal LD50		550 mg/kg (rat)	
	LD50	311 mg/kg (ATE)	
		>900 mg/kg (rat)	
Inhalative LC50/4		>2,000 mg/kg (rabbit)	
	LC50/4 h	0.27 mg/l (ATE)	
		0.27 mg/l (rat)	

- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation

"Non-skin sensitising on the basis of the results of similar tested mixtures, applying bridging principles in accordance with GB CLP Regulation Article 9(4). Result of studies: Sensitisation OECD 429 (LLNA) (mouse): not sensitizing – [studies S4565, S4568]."

Based on available data, the classification criteria are not met.

- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- · 11.2 Information on other hazards
- **Endocrine disrupting properties**

None of the ingredients is listed.

## **SECTION 12: Ecological information**

· 12.1 Toxicity

· Aquatic toxicity:		
CAS: 13463-41-7 pyritl	ione zinc	
LC50	0.028 mg/l (daphnia)	
EC50/ 48 h	0.05 mg/l (daphnia)	
EC50/ 72 h	0.067 mg/l (/)	
CAS: 886-50-0 terbutryn		
LC50/ 96 h	1.3 mg/l (/)	
EC50/ 48 h	2.66 mg/l (daphnia)	
EC50/ 168 h	0.013 mg/l (/)	

(Contd. on page 10)

Revision: 25.09.2025 Version number 2 Date of the first version: 12.02.2025

Trade name: TAKRIL Strong

		(Contd. of page 9)	
	NOEC / 21 dni	0.01 mg/l (/)	
		1.3 mg/l (daphnia)	
	NOEC / 35 dni	0.84 mg/l (/)	
CAS: 265	CAS: 26530-20-1 2-octyl-2H-isothiazol-3-one		
Inhalative	LC50/ 21 dni	0.022 mg/l (/)	
	LC100/ 21 dni	0.076 mg/l (/)	
	EC50/48 h	0.42 mg/l (daphnia)	
	EC50/ 21 dni	0.058 mg/l (daphnia)	
	NOEC	0.0016 mg/l (daphnia)	

- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- · 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:

Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water Do not allow product to reach ground water, water course or sewage system, even in small quantities. Danger to drinking water if even extremely small quantities leak into the ground.

Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

## **SECTION 13: Disposal considerations**

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Hand over to hazardous waste disposers.

· Europea	n waste catalogue
08 01 12	waste paint and varnish other than those mentioned in 08 01 11
	(C+1 11)

Revision: 25.09.2025 Version number 2 Date of the first version: 12.02.2025

Trade name: TAKRIL Strong

(Contd. of page 10)

15 01 02 plastic packaging

- · **Recommendation:** Dispose of packaging according to regulations on the disposal of packagings.
- Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport information	on
· 14.1 UN number or ID number · ADR, IMDG, IATA	Void
· 14.2 UN proper shipping name · ADR, IMDG, IATA	Void
· 14.3 Transport hazard class(es)	
· ADR, ADN, IMDG, IATA	
· Class	Void
· 14.4 Packing group	
· ADR, IMDG, IATA	Void
· 14.5 Environmental hazards:	Not applicable.
· 14.6 Special precautions for user	Not applicable.
· 14.7 Maritime transport in bulk accord	ling to
IMO instruments	Not applicable.
· UN "Model Regulation":	Void

## **SECTION 15: Regulatory information**

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Following regulation was considered in the preparation of document:

Legislation on the occupational health and safety, the chemical legislation and regulations on biocidal products, regulations on classification, packaging and labeling of chemical and biocidal products and requirements on safety data sheets for chemicals and biocidal products composition, as well as regulations on the management of packaging and packaging waste and waste.

· Poisons Act

· Regulated explosives precursors

None of the ingredients is listed.

· Regulated poisons

None of the ingredients is listed.

(Contd. on page 12)

Revision: 25.09.2025 Version number 2 Date of the first version: 12.02.2025

Trade name: TAKRIL Strong

		(Contd. of page 11
· Reportable explo	osives precursors	
None of the ingre	dients is listed.	
· Reportable poiso	ons	
CAS: 1336-21-6	ammonia	10%
CAS: 50-00-0	formaldehyde	5%

### · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

- · Hazard pictograms Void
- · Signal word Void
- · Hazard-determining components of labelling:

2-octyl-2H-isothiazol-3-one

· Hazard statements

H412 Harmful to aquatic life with long lasting effects.

- · Precautionary statements
  - P101 If medical advice is needed, have product container or label at hand.
  - P102 Keep out of reach of children.
- P103 Read carefully and follow all instructions.
- P273 Avoid release to the environment.
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
- · Directive 2004/42/EC
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment - Annex II

None of the ingredients is listed.

- · REGULATION (EU) 2019/1148
- · Annex I RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

### · Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

### · Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

(Contd. on page 13)

Revision: 25.09.2025 Version number 2 Date of the first version: 12.02.2025

Trade name: TAKRIL Strong

(Contd. of page 12)

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. This Safety Data Sheets is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

#### · Relevant phrases

H301	Toxic if swallowed.	
H302	Harmful if swallowed.	
H311	Toxic in contact with skin.	
	~	

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H330 Fatal if inhaled.H331 Toxic if inhaled.

H351 Suspected of causing cancer.

H360D May damage the unborn child.

H372 Causes damage to organs through prolonged or repeated exposure.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

EUH071 Corrosive to the respiratory tract.

EUH210 Safety data sheet available on request.

EUH211 Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.

## · Recommended restriction of use

Claims contained in this document are based on our actual knowledge at the time of revision of this document. They do not undertake the properties of the product described in terms of the legal provisions for the pledge.

Placing this document as available does not unbind the product customer from its responsibility to comply with all relevant laws and regulations applicable for this product. This is especially valid in the case of product resale or resale of its mixtures or manufactured products from other areas of law and industrial property rights of third parties. If the product described above is changed by crafting or mixing with other materials, it is not possible to transfer claims from this document onto a newly made product, unless otherwise specified. In the case of product re-packaging the customer must attach the required relevant safety information as well.

## · Classification according to Regulation (EC) No 1272/2008

Bridging principles

OECD Guideline No. 429, "Skin sensitisation: Local Lymph Node Assay"

(Contd. on page 14)

Revision: 25.09.2025 Version number 2 Date of the first version: 12.02.2025

Trade name: TAKRIL Strong

(Contd. of page 13)

### · Department issuing SDS:

JUB d.o.o.

Product safety department

#### · Contact:

Laura Učakar

laura.ucakar@jub.eu

#### · Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

ATE: Acute toxicity estimate values

Acute Tox. 3: Acute toxicity - Category 3

Acute Tox. 4: Acute toxicity - Category 4

Acute Tox. 1: Acute toxicity - Category 1

Acute Tox. 2: Acute toxicity - Category 2

Skin Corr. 1: Skin corrosion/irritation – Category 1

Skin Irrit. 2: Skin corrosion/irritation - Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Skin Sens. 1: Skin sensitisation – Category 1

Skin Sens. 1A: Skin sensitisation - Category 1A

Carc. 2: Carcinogenicity – Category 2

Repr. 1B: Reproductive toxicity - Category 1B

STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3

#### \* Data compared to the previous version altered.