

Page 1/14

Safety data sheet according to 1907/2006/EC, Article 31

Revision: 11.10.2022 Version number 1 Date of the first version: 11.10.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: DRY WALL Primer

· Article number: 1.012.305

· 1.2 Relevant identified uses of the substance or mixture and uses advised against

· Life cycle stages

PW Widespread use by professional workers

C Consumer use

· Sector of Use

SU21 Consumer uses: Private households / general public / consumers

SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

SU19 Building and construction work

· Product category

PC0 Other

PC9a Coatings and paints, thinners, paint removers

- · Process category PROC10 Roller application or brushing
- Environmental release category ERC10a Widespread use of articles with low release (outdoor)
- · Application of the substance / the mixture Coating compound/ Surface coating/ paint
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

JUB d.o.o.

Dol pri Ljubljani 28

1262 DOL PRI LJUBLJANI

SLOVENIA

T: + 386 1 5884 183

F: + 386 1 5884 250

E: info@jub.si

· Further information obtainable from:

Laura Učakar

T: +386 1 5884 185

F: +386 1 5884 227

E: laura.ucakar@jub.eu

(Contd. on page 2)

Revision: 11.10.2022 Version number 1 Date of the first version: 11.10.2022

Trade name: DRY WALL Primer

(Contd. of page 1)

· 1.4 Emergency telephone number:

UK Emergency number: 999

Emergency Action: In the event of a medical enquiry involving this product, please contact your doctor or local hospital accident and emergency department.

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements

H412 Harmful to aquatic life with long lasting effects.

- · Precautionary statements
- P101 If medical advice is needed, have product container or label at hand.
- P102 Keep out of reach of children.
- P103 Read carefully and follow all instructions.
- P273 Avoid release to the environment.
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
- · Additional information:
- EUH208 Contains 1,2-benzisothiazol-3(2H)-one, reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-4-isothiazolin-3-one [EC no. 220-239-6] (3:1), 2-octyl-2H-isothiazol-3-one. May produce an allergic reaction.
- EUH211 Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.
- · 2.3 Other hazards
- · Results of PBT and vPvB assessment Not applicable.
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

• **Description:** Mixture of substances listed below with nonhazardous additions.

• Dangerous components: CAS: 13463-67-7 titanium dioxide 5-10% EINECS: 236-675-5 Carc. 2, H351 Reg.nr.: 01-2119489379-17 EUH210, EUH211

(Contd. on page 3)

Revision: 11.10.2022 Version number 1 Date of the first version: 11.10.2022

Trade name: DRY WALL Primer

CAS: 546-93-0	Magnesite	0-≤0.5%
	substance with a Community workplace exposure limit	
CAS: 2634-33-5	1,2-benzisothiazol-3(2H)-one	≤0.1%
EINECS: 220-120-9	Eye Dam. 1, H318 Aquatic Acute 1, H400	
	Acute Tox. 4, H302; Skin Irrit. 2, H315; Skin Sens.	
	1, H317	
	Specific concentration limit:	
	Skin Sens. 1; H317: C ≥0.05 %	
CAS: 1310-73-2	sodium hydroxide	0-≤0.05%
EINECS: 215-185-5	Met. Corr.1, H290; Skin Corr. 1A, H314	
Reg.nr.: 01-2119457892-27	*	
	Skin Corr. 1A; H314: C≥ 5 %	
	Skin Corr. 1B; H314: 2 % ≤ C < 5 % Skin Irrit. 2; H315: 0.5 % ≤ C < 2 %	
	Eye Irrit. 2; H319: $0.5\% \le C < 2\%$	
CAS: 3811-73-2	pyridine-2-thiol 1-oxide, sodium salt	≤0.01%
EINECS: 223-296-5	Aquatic Acute 1, H400 (M=100); Aquatic Chronic 1, H410 (M=10)	=0.0176
	Acute Tox. 4, H302; Acute Tox. 4, H312; Skin Irrit. 2, H315; Eye Irrit. 2, H319	
CAS: 7722-88-5	tetrasodium pyrophosphate	≤0.005%
EINECS: 231-767-1	Eye Dam. 1, H318 Acute Tox. 4, H302	

GB

Revision: 11.10.2022 Version number 1 Date of the first version: 11.10.2022

Trade name: DRY WALL Primer

		(Contd. of page 3)
	reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3- one [EC no. 247-500-7] and 2-methyl-4-isothiazolin-3- one [EC no. 220-239-6] (3:1) Acute Tox. 3, H301; Acute Tox. 2, H310; Acute Tox. 2, H330 Skin Corr. 1C, H314; Eye Dam. 1, H318 Aquatic Acute 1, H400 (M=100); Aquatic Chronic 1, H410 (M=100) Skin Sens. 1A, H317 Specific concentration limits: Skin Corr. 1C; H314: C ≥ 0.6 % Skin Irrit. 2; H315: 0.06 % ≤ C < 0.6 % Eye Dam. 1; H318: C ≥ 0.6 % Eye Irrit. 2; H319: 0.06 % ≤ C < 0.6 % Skin Sens. 1A; H317: C ≥ 0.0015 %	≤0.005%
CAS: 26530-20-1 EINECS: 247-761-7	2-octyl-2H-isothiazol-3-one Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 2, H330 Skin Corr. 1, H314; Eye Dam. 1, H318 Aquatic Acute 1, H400 (M=100); Aquatic Chronic 1, H410 (M=100) Skin Sens. 1A, H317 EUH071 ATE: LD50 oral: 125 mg/kg LD50 dermal: 311 mg/kg LC50/4 h inhalative: 0.27 mg/l Specific concentration limit: Skin Sens. 1A; H317: C ≥0.0015 %	0-≤0.0015%

· Additional information:

The product is liquid and therefore not classified as H351 in accordance with Regulation (EU) 2020/217, although it contains more than 1% titanium dioxide.

For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing:

Do not induce vomiting; call for medical help immediately.

If symptoms persist consult doctor.

Rinse out mouth and then drink plenty of water.

(Contd. on page 5)

Revision: 11.10.2022 Version number 1 Date of the first version: 11.10.2022

Trade name: DRY WALL Primer

(Contd. of page 4)

· 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

· 5.2 Special hazards arising from the substance or mixture

No further relevant information available.

- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.
- · Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

SECTION 6: Accidental release measures

• 6.1 Personal precautions, protective equipment and emergency procedures Wear protective clothing.

· 6.2 Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system.

In case of seepage into the ground inform responsible authorities.

Do not allow to enter sewers/ surface or ground water.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

· Information about fire - and explosion protection: No special measures required.

(Contd. on page 6)

Revision: 11.10.2022 Version number 1 Date of the first version: 11.10.2022

Trade name: DRY WALL Primer

(Contd. of page 5)

- · 7.2 Conditions for safe storage, including any incompatibilities
- Requirements to be met by storerooms and receptacles: Store only in the original receptacle.
- · Information about storage in one common storage facility:

Do not store together with oxidising and acidic materials.

· Further information about storage conditions:

Protect from frost.

Keep container tightly sealed.

- · Storage class: 10
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Ingredients with limit	values that require monito	oring at the workplace:

CAS: 546-93-0 Magnesite

WEL Long-term value: 10* 4** mg/m³
*inhalable dust **respirable dust

CAS: 1310-73-2 sodium hydroxide

WEL | Short-term value: 2 mg/m³

CAS: 7722-88-5 tetrasodium pyrophosphate

WEL Long-term value: 5 mg/m³

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- **Appropriate engineering controls** No further data; see item 7.
- · Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

Do not eat or drink while working.

· Respiratory protection:

Suitable respiratory protective device recommended.

Use suitable respiratory protective device only when aerosol or mist is formed.

Protective mask should be in accordance with BS EN 14387.

· Hand protection

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Protective gloves

(Contd. on page 7)

Revision: 11.10.2022 Version number 1 Date of the first version: 11.10.2022

Trade name: DRY WALL Primer

(Contd. of page 6)

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Protective gloves that meet the criteria of BS EN 374.

Check protective gloves prior to each use for their proper condition.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

After use of gloves apply skin-cleaning agents and skin cosmetics.

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye/face protection

Safety glasses

Protective goggles must comply with standard BS EN 166.

Goggles recommended during refilling

· Body protection: Use protective suit.

SECTION 9: Physical and chemical properties

- · 9.1 Information on basic physical and chemical properties
- · General Information

· Physical state Fluid · Colour: White

Odour: Characteristic
 Odour threshold: Not determined.
 Melting point/freezing point: Undetermined.

 \cdot Boiling point or initial boiling point and

boiling range ≥100 °C (CAS: 7732-18-5 water, distilled,

conductivity or of similar purity)

· Flammability Not applicable.

· Lower and upper explosion limit

Lower: Not determined.Upper: Not determined.

• Flash point: >100 °C (CAS: 124-68-5 2-amino-2-

methylpropanol)

• **Decomposition temperature:** Not determined.

• **pH at 20** °**C** 9-10

· Viscosity:

· **Kinematic viscosity** Not determined.

(Contd. on page 8)

Safety data sheet

according to 1907/2006/EC, Article 31

Revision: 11.10.2022 Version number 1 Date of the first version: 11.10.2022

Trade name: DRY WALL Primer

	(Contd. of
Dynamic at 20 °C:	5,000-6,000 mPas
Solubility	
water:	Not determined.
Vapour pressure:	Not determined.
Density and/or relative density	
Density at 20 °C:	1.6-1.65 g/cm ³
Relative density	Not determined.
Vapour density	Not determined.
9.2 Other information	
Appearance:	
Form:	Fluid
Important information on protection	of
health and environment, and on safety.	
Auto-ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Solvent content:	EU VOC (kat. A/g) 30 g/l (2010)
	<5.0 g/l
Organic solvents:	>0.3 %
Water:	≤21.1 %
VOC (EC)	0.31 %
Information with regard to physical haza	rd
classes	
Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit	
flammable gases in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void
Desensitised explosives	Void

Revision: 11.10.2022 Version number 1 Date of the first version: 11.10.2022

Trade name: DRY WALL Primer

(Contd. of page 8)

SECTION 10: Stability and reactivity

- 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.

CAS: 13463-67-7 titanium dioxide Oral LD50 mg/kg (rat) Dermal LD50 mg/kg (rabbit) Inhalative LC50/4 h mg/l (rat) CAS: 1310-73-2 sodium hydroxide Oral LD50 2,000 mg/kg (rat) CAS: 3811-73-2 pyridine-2-thiol 1-oxide, sodium salt Oral LD50 750 mg/kg (rat) Dermal LD50 700 mg/kg (rabbit) Inhalative LD50 1,080 mg/kg (rabbit) reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-4-isothiazolin-3-one [EC no. 220-239-6] (3:1) Oral LD50 49.6-75 mg/kg (rat) Dermal LD50 141 mg/kg (rabbit) Inhalative LC50/4 h 0.33 mg/l (rat) CAS: 26530-20-1 2-octyl-2H-isothiazol-3-one Oral LD50 125 mg/kg (ATE) 550 mg/kg (rat) 550 mg/kg (rat) Dermal LD50 311 mg/kg (ATE) >900 mg/kg (rat) >900 mg/kg (rat)	· LD/LC50	values rel	evant for classification:
Dermal LD50 mg/kg (rabbit) mg/l (rat)	CAS: 134	63-67-7 tit	anium dioxide
Inhalative LC50/4 h mg/l (rat)	Oral	LD50	mg/kg (rat)
CAS: 1310-73-2 sodium hydroxide Oral LD50 2,000 mg/kg (rat) CAS: 3811-73-2 pyridine-2-thiol 1-oxide, sodium salt Oral LD50 750 mg/kg (rat) Dermal LD50 700 mg/kg (rabbit) Inhalative LD50 1,080 mg/kg (rabbit) reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-4-isothiazolin-3-one [EC no. 220-239-6] (3:1) Oral LD50 49.6-75 mg/kg (rat) Dermal LD50 141 mg/kg (rabbit) Inhalative LC50/4 h 0.33 mg/l (rat) CAS: 26530-20-1 2-octyl-2H-isothiazol-3-one Oral LD50 125 mg/kg (ATE) 550 mg/kg (rat) 550 mg/kg (rat) Dermal LD50 311 mg/kg (ATE)	Dermal	LD50	mg/kg (rabbit)
Oral LD50 2,000 mg/kg (rat) CAS: 3811-73-2 pyridine-2-thiol 1-oxide, sodium salt Oral LD50 750 mg/kg (rat) Dermal LD50 700 mg/kg (rabbit) Inhalative LD50 1,080 mg/kg (rabbit) reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-4-isothiazolin-3-one [EC no. 220-239-6] (3:1) Oral LD50 49.6-75 mg/kg (rat) Dermal LD50 141 mg/kg (rabbit) Inhalative LC50/4 h 0.33 mg/l (rat) CAS: 26530-20-1 2-octyl-2H-isothiazol-3-one Oral LD50 125 mg/kg (ATE) 550 mg/kg (rat) 311 mg/kg (ATE)	Inhalative	LC50/4 h	mg/l (rat)
CAS: 3811-73-2 pyridine-2-thiol 1-oxide, sodium salt Oral LD50 750 mg/kg (rat) Dermal LD50 700 mg/kg (rabbit) Inhalative LD50 1,080 mg/kg (rabbit) reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-4-isothiazolin-3-one [EC no. 220-239-6] (3:1) Oral LD50 49.6-75 mg/kg (rat) Dermal LD50 141 mg/kg (rabbit) Inhalative LC50/4 h 0.33 mg/l (rat) CAS: 26530-20-1 2-octyl-2H-isothiazol-3-one Oral LD50 125 mg/kg (ATE) 550 mg/kg (rat) Dermal LD50 311 mg/kg (ATE)	CAS: 131	0-73-2 sod	ium hydroxide
Oral LD50 750 mg/kg (rat) Dermal LD50 700 mg/kg (rabbit) Inhalative LD50 1,080 mg/kg (rabbit) reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-4-isothiazolin-3-one [EC no. 220-239-6] (3:1) Oral LD50 49.6-75 mg/kg (rat) Dermal LD50 141 mg/kg (rabbit) Inhalative LC50/4 h 0.33 mg/l (rat) CAS: 26530-20-1 2-octyl-2H-isothiazol-3-one Oral LD50 125 mg/kg (ATE) 550 mg/kg (rat) Dermal LD50 311 mg/kg (ATE)	Oral	LD50	2,000 mg/kg (rat)
Dermal LD50 700 mg/kg (rabbit) 1,080	CAS: 381	1-73-2 pyr	idine-2-thiol 1-oxide, sodium salt
Inhalative LD50	Oral	LD50	750 mg/kg (rat)
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-4-isothiazolin-3-one [EC no. 220-239-6] (3:1) Oral LD50 49.6-75 mg/kg (rat) Dermal LD50 141 mg/kg (rabbit) Inhalative LC50/4 h 0.33 mg/l (rat) CAS: 26530-20-1 2-octyl-2H-isothiazol-3-one Oral LD50 125 mg/kg (ATE) 550 mg/kg (rat) Dermal LD50 311 mg/kg (ATE)	Dermal	LD50	700 mg/kg (rabbit)
isothiazolin-3-one [EC no. 220-239-6] (3:1) Oral LD50 49.6-75 mg/kg (rat) Dermal LD50 141 mg/kg (rabbit) Inhalative LC50/4 h 0.33 mg/l (rat) CAS: 26530-20-1 2-octyl-2H-isothiazol-3-one Oral LD50 125 mg/kg (ATE) 550 mg/kg (rat) 311 mg/kg (ATE)	Inhalative	LD50	1,080 mg/kg (rabbit)
Oral LD50 49.6-75 mg/kg (rat) Dermal LD50 141 mg/kg (rabbit) Inhalative LC50/4 h 0.33 mg/l (rat) CAS: 26530-20-1 2-octyl-2H-isothiazol-3-one Oral LD50 125 mg/kg (ATE) 550 mg/kg (rat) 550 mg/kg (ATE)	reaction n	nass of: 5-	chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-4-
Dermal LD50 141 mg/kg (rabbit) Inhalative LC50/4 h 0.33 mg/l (rat) CAS: 26530-20-1 2-octyl-2H-isothiazol-3-one Oral LD50 125 mg/kg (ATE) Dermal LD50 311 mg/kg (ATE)	isothiazoli	in-3-one [I	EC no. 220-239-6] (3:1)
Inhalative LC50/4 h 0.33 mg/l (rat) CAS: 26530-20-1 2-octyl-2H-isothiazol-3-one Oral LD50 125 mg/kg (ATE) Dermal LD50 311 mg/kg (ATE)	Oral	LD50	49.6-75 mg/kg (rat)
CAS: 26530-20-1 2-octyl-2H-isothiazol-3-one Oral LD50 125 mg/kg (ATE) 550 mg/kg (rat) 311 mg/kg (ATE)	Dermal	LD50	141 mg/kg (rabbit)
Oral LD50 125 mg/kg (ATE) 550 mg/kg (rat) Dermal LD50 311 mg/kg (ATE)	Inhalative	LC50/4 h	0.33 mg/l (rat)
Dermal LD50 550 mg/kg (rat) 311 mg/kg (ATE)	CAS: 265	30-20-1 2-0	octyl-2H-isothiazol-3-one
Dermal LD50 311 mg/kg (ATE)	Oral	LD50	125 mg/kg (ATE)
			550 mg/kg (rat)
>900 mg/kg (rat)	Dermal	LD50	311 mg/kg (ATE)
			>900 mg/kg (rat)

(Contd. on page 10)

Revision: 11.10.2022 Version number 1 Date of the first version: 11.10.2022

Trade name: DRY WALL Primer

		(Contd. of	f page 9)
		>2,000 mg/kg (rabbit)	
Inhalative	LC50/4 h	0.27 mg/l (ATE)	
		0.27 mg/l (rat)	

- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- · 11.2 Information on other hazards
- · Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic to	xicity:		
CAS: 1310	CAS: 1310-73-2 sodium hydroxide		
-	LC50/ 96 h	45 mg/l (/)	
CAS: 3811	-73-2 pyridine	-2-thiol 1-oxide, sodium salt	
	LC50/ 96 h	0.00264 mg/l (/)	
	EC50/ 120 h	0.0012 mg/l (/)	
CAS: 2653	CAS: 26530-20-1 2-octyl-2H-isothiazol-3-one		
Inhalative	LC50/ 21 dni	0.022 mg/l (/)	
	LC100/ 21 dni	0.076 mg/l (/)	
	EC50/ 48 h	0.42 mg/l (daphnia)	
	EC50/ 21 dni	0.058 mg/l (daphnia)	
	NOEC	0.0016 mg/l (daphnia)	

- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.

(Contd. on page 11)

Date of the first version: 11.10.2022 Revision: 11.10.2022 Version number 1

Trade name: DRY WALL Primer

(Contd. of page 10)

· 12.5 Results of PBT and vPvB assessment

- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- · 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Hand over to hazardous waste disposers.

· European waste catalogue

15 01 02 plastic packaging

· Recommendation: Dispose of packaging according to regulations on the disposal of packagings.

· 14.1 UN number or ID number		
· ADR, ADN, IMDG, IATA	Void	
· 14.2 UN proper shipping name		
· ADR, ADN, IMDG, IATA	Void	
· 14.3 Transport hazard class(es)		
· ADR, ADN, IMDG, IATA		
· Class	Void	
· 14.4 Packing group		
· ADR, IMDG, IATA	Void	
· 14.5 Environmental hazards:	Not applicable.	
· 14.6 Special precautions for user	Not applicable.	

Revision: 11.10.2022 Version number 1 Date of the first version: 11.10.2022

Trade name: DRY WALL Primer

(Contd. of page 11)

· 14.7 Maritime transport in bulk according to

IMO instruments Not applicable.

· UN "Model Regulation": Void

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Following regulation was considered in the preparation of document:

Legislation on the occupational health and safety, the chemical legislation and regulations on biocidal products, regulations on classification, packaging and labeling of chemical and biocidal products and requirements on safety data sheets for chemicals and biocidal products composition, as well as regulations on the management of packaging and packaging waste and waste.

· Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements

H412 Harmful to aquatic life with long lasting effects.

- · Precautionary statements
- P101 If medical advice is needed, have product container or label at hand.
- P102 Keep out of reach of children.
- P103 Read carefully and follow all instructions.
- P273 Avoid release to the environment.
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment Annex II

None of the ingredients is listed.

- · REGULATION (EU) 2019/1148
- · Annex I RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

· Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

(Contd. on page 13)

Revision: 11.10.2022 Version number 1 Date of the first version: 11.10.2022

Trade name: DRY WALL Primer

(Contd. of page 12)

· Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

· Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

- H290 May be corrosive to metals.
- H301 Toxic if swallowed.
- H302 Harmful if swallowed.
- H310 Fatal in contact with skin.
- H311 Toxic in contact with skin.
- H312 Harmful in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H330 Fatal if inhaled.
- H351 Suspected of causing cancer.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.
- EUH071 Corrosive to the respiratory tract.
- EUH210 Safety data sheet available on request.
- EUH211 Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.

· Recommended restriction of use

Claims contained in this document are based on our actual knowledge at the time of revision of this document. They do not undertake the properties of the product described in terms of the legal provisions for the pledge.

Placing this document as available does not unbind the product customer from its responsibility to comply with all relevant laws and regulations applicable for this product. This is especially valid in the case of product resale or resale of its mixtures or manufactured products from other areas of law and industrial property rights of third parties. If the product described above is changed by crafting or mixing with other materials, it is not possible to transfer claims from this document onto a newly made product, unless otherwise specified. In the case of product re-packaging the customer must attach the required relevant safety information as well.

(Contd. on page 14)

Revision: 11.10.2022 Version number 1 Date of the first version: 11.10.2022

Trade name: DRY WALL Primer

(Contd. of page 13)

· Department issuing SDS:

JUB d.o.o.

Product safety department

· Contact:

Laura Učakar

laura.ucakar@jub.eu

· Date of previous version: 11.10.2022

· Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning

the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Met. Corr.1: Corrosive to metals - Category 1

Acute Tox. 3: Acute toxicity – Category 3

Acute Tox. 4: Acute toxicity - Category 4

Acute Tox. 2: Acute toxicity - Category 2

Skin Corr. 1: Skin corrosion/irritation - Category 1

Skin Corr. 1A: Skin corrosion/irritation - Category 1A

Skin Corr. 1C: Skin corrosion/irritation - Category 1C

Skin Irrit. 2: Skin corrosion/irritation - Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Skin Sens. 1: Skin sensitisation – Category 1

Skin Sens. 1A: Skin sensitisation – Category 1A

Carc. 2: Carcinogenicity – Category 2

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3

* * Data compared to the previous version altered.